


	-
	18.4

REVISIONS								
REV	ECO	DESCRIPTION	DATE BY		APPR			
A3	-	RELEASE NEW DWG FORMAT	26DEC13	DRP				
A4	C0540S	UPDATE DIMENSIONS	28JUN16	JONY	TOMMY			
A5	-	ADD COLOR OPTION	23NOV20	LOUIE	TOMMY			







## NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL:


HOUSING: THERMOPLASTIC SEAL: SILICONE RUBBER

- 2. MODIFICATIONS: N/A
- 3. SPECIFICATIONS:
  - 3.1 CURRENT RATING: 13 AMPS
  - 3.2 OPERATING TEMPERATURE: -55°C TO +125°C
  - 3.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
  - 3.4 INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 25°C.
  - 3.5 MOISTURE RESISTANCE:

IP68(1M OF WATER FOR A PERIOD OF 24 HOURS, MATED CONDITION) IP69K(MATED CONDITION)

- 3.6 MATING CYCLE DURABILITY: 100 CYCLES
- 3.7 RoHS COMPLIANT
- 4. MATING PART: AT04-3P\* RECEPTACLE ( \* = MODIFICATIONS AND COLORS )
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.
- 6 CONTACT SIZE AND REAR SEAL WIRE RANGE:

CONTACT	MIN. INSUL	MAX. INSUL	TYPICAL
SIZE	O.D.	O.D.	WIRE RANGE
16	2.24 mm	3.68 mm	14 - 20 AWG
	(.088 in)	(.145 in)	(2.0-0.5mm <sup>2</sup> )



PART NUMBER CHART							
COLOR	PART NUMBER						
GREY	AT06-3S						
BLACK	AT06-3S-BLK						
BLUE	AT06-3S-BLU						
BROWN	AT06-3S-BRN						
GREEN	AT06-3S-GRN						
RED	AT06-3S-RED						
WHITE	AT06-3S-WHT						
YELLOW	AT06-3S-YEL						
ORANGE	AT06-3S-ORG						

STANDARD MOLDED COLOR IS GREY. ADDITIONAL COLORS SHOWN IN PART NUMBER CHART ARE AVAILABLE VIA SPECIAL ORDER.

		CHART		REF: DT06-3S, DT06-3S-E004, DT06-3S-P012						l		
		PART NUMBER		DESCRIPTION				ITEM				
QUANTITY	MATERIALS LIST								ŀ			
UNLESS OTHERWISE SPECIFIED  1) All dimensions are in metric(mm).  2) Tolerances are as follows:  1 PL DEC ±0.30   Fractions ±1/64  2 PL DEC ±0.15   Angles ±1*  3 PL DEC ±0.08		ATURES	DATE	Amphenol			. T					
	DRAWN:	LOUIE	23NOV20	Amphenoi					,,			
	CHECKED:	ORION	24NOV20	44724 Morley Drive					1			
3) Note reference = X		ENGINEER:										
MATERIAL SPECIFICATIONS:	TIONS:	APPROVAL:	TOMMY	25NOV20	Clinton Township, MI 48036							
PROCESS SPECIFICATIONS:  NEXT ASSY:		CUSTOMER:			PLUG, 3 SOCKET, AT SERIES							
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES,										
		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL		B	C-	DWG NO:	AT06-3S	-XXX		45		
				SCALE: N	ONE			SHEET 1	OF	1	1	

AT06-3S-XXX

PLUG, 3 SOCKET, AT SERIES

.: A5

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

AT06-3S-BRN