



		REVISIONS			
REV	ECO	DESCRIPTION	DATE	BY	APPR
A1	-	RELEASE NUMBER	30/NOV/18	ROOKIE	TOMMY



REQUIRES CONTACT RETENTION WEDGE AW4P 31.8 40.5



NOTES: UNLESS OTHERWISE SPECIFIED

MATERIAL:

HOUSING: THERMOPLASTIC SEAL: SILICONE RUBBER

- 2. MODIFICATIONS: FLANGE
- 3. SPECIFICATIONS:

 - 3.1 CURRENT RATING: 13 AMPS
 3.2 OPERATING TEMPERATURE: -55°C TO +125°C.
 - 3.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2
 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
 3.4 INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 25°C.
 3.5 MOISTURE RESISTANCE: IP67 (MATED CONDITION)

 - 3.6 MATING CYCLE DURABILITY: 100 CYCLES
 - 3.7 RoHS COMPLIANT
- 4. MATING PART: AT06-4S* PLUG. (* = MODIFICATIONS AND COLORS)
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.


6 CONTACT SIZE AND REAR SEAL WIRE RANGE:


CONTACT	MIN. INSUL	MAX. INSUL	TYPICAL	
SIZE	O.D.			
16	2.24 mm (.088 in)	3.68 mm (.145 in)	14 - 20 AWG	

A104-4		1P-L012								
	PART N	NUMBER		DESCRIPTION					ITEM	
QUANTITY		1	MAT	ERI	ALS LI	ST				
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm).		SIGN	ROCKE 30NOV/18 Ampheno				~ I			
1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/84 2 PL DEC ±0.15 Angles ±1" 3) Note reference =		DRAWN:	ROOKIE	30/NOV/18	<i>-</i>	71 1 11	JHE	71 15	JI	
		CHECKED:	ORION	30/NOV/18	Sine Systems - www.amphenol-sine.com					
		ENGINEER:			44724 Morley Drive Clinton Township, MI 48036					
MATERIAL SPECIFICAT	MATERIAL SPECIFICATIONS:		TOMMY	30/NOV/18		Clinton I ov	wnsnip, ivii 480	J36		
INTERIOR OF CONTONIO		CUSTOMER:		•	4P R	ECEPTACLI	E. FLANGE N	IOUNT. G	RAY	
			G IS SUPPLIED F				,	,		
PROCESS SPECIFICATIONS:		SPECIFICATIO SHOWN HERE THE AMPHENI OF REPRODU	INS AND PERFO ON ARE THE PR OL CORPORATIO CTION ARE IMPL ARE SUBJECT TO	RMANCE DATA ROPERTY OF ON. NO RIGHTS LIED. ALL O NORMAI	B C-	DWG NO:	T04-4P-	L012		A1
NEXT ASS'Y:			ING VARIATION	S.	SCALE: NONE			SHEET '	1 OF	2

4P RECEPTACLE, FLANGE MOUNT, GRAY

REVISIONS											
REV	ECO	DESCRIPTION	DATE	BY	APPR						
A1	_	RELEASE NUMBER	30/NOV/18	ROOKIE	TOMMY						





	A104-4	P-L012									
	PART N	IUMBER		DESCRIPTION			ITEM				
QUANTITY		-	MAT	ERI	ALS L	ST					
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/84 2 PL DEC ±0.18 Angles ±1* 3) Note reference = X		. SIGNATURES DATE			Amphonol						
		DRAWN:	ROOKIE	30/NOV/18	Amphenol						
		CHECKED:	ORION	30/NOV/18	44724 Morley Drive					_	
		ENGINEER:									
MATERIAL SPECIFICA	TIONS:	APPROVAL:	TOMMY	30/NOV/18		Clinton	Township, MI 48	3036			
	MATERIAL SPECIFICATIONS.			'	4P F	ECEPTAG	CLE. FLANGE	MOUNT	GRA	Y	
			S IS SUPPLIED F								
PROCESS SPECIFICATIONS: NEXT ASSY:		SPECIFICATION SHOWN HERE THE AMPHENO OF REPRODUC	NS AND PERFO ON ARE THE PR DL CORPORATIO CTION ARE IMPL ARE SUBJECT TO	RMANCE DATA ROPERTY OF DN. NO RIGHTS LIED. ALL	B C-	DWG NO:	AT04-4P	-L012)	F	A1
			ING VARIATION		SCALE: NONE			SHEET	2	OF	2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol: AT04-4P-L012