











NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: THERMOPLASTIC; COLOR: GREY

2. RoHS COMPLIANT

3. CAVITIES: 2

4. KEYED: KEY "A" CONFIGURATION

5. USE WITH CONNECTORS AT04-2P\*
(\* = MODIFICATIONS AND/OR COLORS)

6. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	AW2P-A					·			
QUANTITY	PART N	IUMBER		DESCRIPTION				IT	
•		<b>N</b>	1AT	ERI	ALS L	IST			
	SS OTHERWISE SPECIFIED		SIGNATURES		Amphonol				
1) All dimensions are in metric(mm). 2) Tolerances are as follows:  1 PL DEC ±0.30   Fractions ±1/64		DRAWN: JARRY		30/JUN/14	Amphenol				
1 PL DEC ±0.30 2 PL DEC ±0.15 3 PL DEC ±0.08	C ±0.30   Fractions ±1/64   Angles ±1°   C ±0.08   Fractions $\pm 1/64$   $\pm 1$	CHECKED:			Sine Systems - www.amphenol-sine.com				
3) Note reference :		ENGINEER:		44724 Morley Drive					
MATERIAL PRECIFICA					Clinton Township, MI 48036				
MATERIAL SPECIFICATIONS:		CUSTOMER:			P-WEDGELOCK, 2 POSITION, A KEY, AT SERIES				
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.							
PROCESS SPECIFICATIONS:		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS.		A C-	DWG NO:	AW2P-A	A		
NEXT ASS'Y:				SCALE: NONE		SHEET	1 of 1		

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

AW2P-B AW2P-A