











NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: THERMOPLASTIC; COLOR: GREEN

2. RoHS COMPLIANT

3. CAVITIES: 2

4. KEYED: KEY "C" CONFIGURATION

5. USE WITH CONNECTORS AT06-2S*
(* = MODIFICATIONS AND/OR COLORS)

6. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	AW2S-C							
QUANTITY	PART NUMBER		DESCRIPTION					ITEM
		MA	TERL	ALS LI	ST			
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions +1/64		SIGNATURE	S DATE	Amphenol				\T
		DRAWN: JARRY	26/JUN/14					<i>)</i>
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED:		Sine Systems - www.amphenol-sine.com				
3) Note reference = X MATERIAL SPECIFICATIONS: PROCESS SPECIFICATIONS: NEXT ASSY:		ENGINEER:		44724 Morley Drive Clinton Township, MI 48036				
		APPROVAL:			Clinton Tow	vrisnip, ivii 4603	б	
		CUSTOMER: THIS DRAWING IS SUPPLI	50.500	S-WEDGELOCK, 2 POSITION, C - KEY, AT SERIES				
		INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SI IN JECT TO NORMAI		A C-	DWG NO:	AW2S-C		A4
				SCALE: NONE		Si	неет 1	of 1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

 $\frac{\text{Amphenol}}{\text{\tiny AW2S-C}}$