



PART NUMBER CHART				
COLOR	PART NUMBER			
GREY	AT12S-BT			
BLACK	AT12S-BT-BK			
YELLOW	AT12S-BT-YW			

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. THIS PART IS USED ON AT06-12S PLUG WITH ANY MODIFICTION THAT DOES NOT INCLUDE AN END CAP.
- 2. TEMPERATURE RATING : -29 $^{\circ}$ C TO +100 $^{\circ}$ C [-20 $^{\circ}$ F TO +212 $^{\circ}$ F]
- 3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	SEE PART NUMBER CHART		REF:DT12S-BT,DT12S-BT-BK,DT12S-YW			
	PART NUMBER			DESCRIPTION		
QUANTITY MATERIALS LIST						
UNLESS OTHERWISE SPECIFIED		SIGNATUR	ES DATE	Amphanal		
1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64		DRAWN: BROOK.DI	NG 28AUG19	Amphenol		
2 PL DEC ±0.15 3 PL DEC ±0.08	Angles ±1°	CHECKED: ORION.L	. 28AUG19	Sine Systems - www.amphenol-sine.com		
3) Note reference = X		ENGINEER:		44724 Morley Drive Clinton Township, MI 48036		
MATERIAL SPECIFICA	TIONS:	APPROVAL: TOMMY,X	IE 28AUG19	Clinton Township, Mt 48036		
PVC		CUSTOMER:	'	BOOT ,AT ,12 WAY,PLUG		
PROCESS SPECIFICA		THIS DRAWING IS SUPP INFORMATION ONLY. DE SPECIFICATIONS AND P SHOWN HEREON ARE TI THE AMPHENOL CORPO OF REPRODUCTION ARE DIMENSIONS ARE SUBJE MANUFACTURING VARIA	SIGN FEATURES, ERFORMANCE DATA HE PROPERTY OF RATION. NO RIGHTS EIMPLIED. ALL ECT TO NORMAL	ATAGO DT VV	REVISION A 1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

AT12S-BT AT12S-BT-BK AT12S-BT-YW