

NOTES: UNLESS OTHERWISE SPECIFIED


1. MATERIAL:


HOUSING: THERMOPLASTIC CONTACT: COPPER ALLOY PLATING: NICKEL UNDERPLATE

SEE CHART FOR OVERALL FINISH


2. MODIFICATIONS: RIGHT ANGLE PCB MOUNT, SCREW BOSS, KEYED, HOUSING COLOR

- 3. SPECIFICATIONS:
 - 3.1 CURRENT RATING: 13 AMPS
 - 3.2 OPERATING TEMPERATURE: -55°C TO +125°C
 - 3.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC.
 - 3.4 INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 25°C.
 - 3.5 MOISTURE RESISTANCE: IP67 (MATED CONDITION)
 - 3.6 MATING CYCLE DURABILITY: 100 CYCLES
 - 3.7 RoHS COMPLIANT
- 4. MATING PART: AT06-6S* PLUG (* = MODIFICATIONS AND COLORS)
- 5. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.







REVISIONS							
REV	ECO	DESCRIPTION	DATE	BY	APPR		
A1	-	RELEASE	7JUN2018	JAH			
A2	-	UPDATE DRAWING	19/MAR/19	BROOK	TOMMY		
A3	-	MODIFIED DESCRIPTION	12JUL19	BROOK	TOMMY		



RECOMMENDED PCB LAYOUT







RIGHT ANGLE RECEPT, AT 6 PIN, SCREW BOSS, BOARDLOCK

ATF13-6PX-BM1X

SH

PART NUMBER	CONTACT PLATING	HSG COLOR	PAI	
ATF13-6P-BM11	GOLD	BLACK	ATF13	
ATF13-6P-BM13	TIN	BLACK	ATF13	
	•	•		

PART NUMBER	CONTACT PLATING	HSG COLOR	
ATF13-6P2-BM11BLU	GOLD	BLUE	
ATF13-6P2-BM13BLU	TIN	BLUE	

				ł
SEE PART NUMBER CHART	REF: DTF136P, DTF136P-G003, DTF136P2-G003		S.F.	
PART NUMBER	DESCRIPTION	ITEM		

	PART N	NUMBER	₹		DESCRIPTION					ITEM	
QUANTITY		MATERIALS LIST									
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 Fractions ±1/64 2 PL DEC ±0.15 Angles ±1* 3) Note reference = X		SIGNATURES DATE			^	· ~~ r	h	<u> </u>	$\overline{}$		
		DRAWN: BROOKDING 12/JUL/19 Amphe						31 IC			
		CHECKED:	ORION.LI	12/JUL/19	44724 Morley Drive					m	
		ENGINEER:									
MATERIAL SPECIFICA	APPROVAL:	TOMMY.XIE	12/JUL/19	Clinton Township, MI 48036							
PROCESS SPECIFICATIONS: NEXT ASS'Y:		CUSTOMER: THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.			RIGHT ANGLE RECEPTACLE, AT 6 PIN, SCREW BOSS, BOARDLOCK						
		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMPNSIONS ARE SUBJECT TO NORMAL		В	C-	ATF13	-6PX-B		(X	A3	
		MANUFACTURING VARIATIONS.			SCALE: N	ONE			SHEET 1	OF	1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:
ATF13-6P-BM13