



REVISIONS					
REV	ECO	DESCRIPTION	DATE	BY	APPR
A1	-	RELEASE NEW DRAWING	11APR18	ROOKIE	TOMMY


P/N AT04-12PA-P075
KEY-A CONFIGURATION
STANDARD COLOR: GREY




P/N AT04-12PB-P075
KEY-B CONFIGURATION
STANDARD COLOR: BLACK



P/N AT04-12PC-P075
KEY-C CONFIGURATION
STANDARD COLOR: GREEN



P/N AT04-12PD-P075
KEY-D CONFIGURATION
STANDARD COLOR: BROWN



PART NUMBER		DESCRIPTION		ITEM
QUANTITY		MATERIALS LIST		
UNLESS OTHERWISE SPECIFIED 1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ± 0.30 2 PL DEC ± 0.15 3 PL DEC ± 0.08 3) Note reference = 		SIGNATURES	DATE	Amphenol Sine Systems - www.amphenol-sine.com 44724 Morley Drive Clinton Township, MI 48036 AT 12WAY RECEPTACLE (3)4 PIN BUSBAR-NICKEL PLATED
		DRAWN: ROOKIE	11APR18	
		CHECKED: ORION	11APR18	
		ENGINEER:		
MATERIAL SPECIFICATIONS:		APPROVAL: TOMMY	11APR18	SIZE: B TYPE: C- DWG NO: AT04-12PX-P075 REVISION: A1 SCALE: NONE
PROCESS SPECIFICATIONS:		CUSTOMER:		
NEXT ASSY:		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS.		
				SHEET 2 OF 2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[AT04-12PA-P075](#)