




| REVISIONS |     |                           |         |        |       |
|-----------|-----|---------------------------|---------|--------|-------|
| REV       | ECO | DESCRIPTION               | DATE    | BY     | APPR  |
| A1        | -   | RELEASE NEW DRAWING       | 06NOV18 | SULLEN | TOMMY |
| A2        | -   | UPDATED DRAWING           | 18FEB19 | SULLEN | TOMMY |
| A3        | -   | ADD SPACE LIMIT DIMENSION | 15JAN20 | SULLEN | TOMMY |



NOTES: UNLESS OTHERWISE SPECIFIED

- MATERIAL:  
HOUSING: THERMOPLASTIC, BLACK  
SEAL: SILICONE RUBBER  
CONTACT: COPPER ALLOY
- MODIFICATIONS: RA PCB MOUNT
- SPECIFICATIONS:  
3.1 CURRENT RATING: 7.5 AMPS  
3.2 OPERATING TEMPERATURE: -55°C TO +125°C  
3.3 DIELECTRIC WITHSTANDING VOLTAGE: LESS THAN 2 MILLIAMPS CURRENT LEAKAGE @ 1500 VOLTS AC  
3.4 INSULATION RESISTANCE: 1000 MEGOHMS MIN @ 25°C  
3.5 MOISTURE RESISTANCE: IP69K ( MATED CONDITION )  
3.6 MATING CYCLE DURABILITY: 100 CYCLES  
3.7 RoHS COMPLIANT
- MATING PART: ATM06-12SX-  
( X = A,B,C,D KEYS ; \* = ALL MODIFICATIONS )
- THIS RECEPTACLE IS USED WITH AIPXE-325X4A-XXXX AND AIPXE-325X4B-XXXX ENCLOSURE (XXXX= ALL MODIFICATIONS)


6. SEE SHEET 2 AND 3 FOR OTHER KEY ARRANGEMENTS AND COLORS

7. MAXIMUM COMPONENT HEIGHT DEPENDS ON LOCATION DUE TO PART DRAFT AND RIBS.(SEE SHEET 4)

8. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY


| SEE SHEET 2 & 3                                                                                                                                                                  |             | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                       |  | ITEM |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------|
| QUANTITY                                                                                                                                                                         | PART NUMBER | MATERIALS LIST                                                                                                                                                                                                                                                                                                                                                                                                                    |  |      |
| UNLESS OTHERWISE SPECIFIED<br>1) All dimensions are in metric(mm).<br>2) Tolerances are as follows:<br>1 PL DEC ±0.30<br>2 PL DEC ±0.15<br>3 PL DEC ±0.08<br>3) Note reference = |             | <div> <div> SIGNATURES<br/> DRAWN: SULLENZHANG<br/> CHECKED: ORIONLI<br/> ENGINEER:<br/> APPROVAL: TOMMYXIE<br/> CUSTOMER:<br/> DATE<br/> 15JAN20<br/> 16JAN20<br/> 17JAN20 </div> <div> <p><b>Amphenol</b></p> <p>Sine Systems - www.amphenol-sine.com<br/>44724 Morley Drive<br/>Clinton Township, MI 48036</p> <p>ARMOR IPX RECEPTACLE ATM HEADER,<br/>2 x 12 POSITIONS, SIZE 20 CONTACT</p> </div> </div>                     |  |      |
| MATERIAL SPECIFICATIONS:                                                                                                                                                         |             | <div> <div> THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS. </div> <div> SIZE<br/> B C- </div> <div> TYPE<br/> ATM13-12PX-12PX-BMXX </div> <div> DWG NO.<br/> A3 </div> <div> REVISION<br/> A3 </div> </div> |  |      |
| PROCESS SPECIFICATIONS:                                                                                                                                                          |             | <div> <div> NEXT ASSY: </div> <div> SCALE<br/> NONE </div> <div> SHEET 1 OF 4 </div> </div>                                                                                                                                                                                                                                                                                                                                       |  |      |

| REVISIONS |     |                           |         |        |       |
|-----------|-----|---------------------------|---------|--------|-------|
| REV       | ECO | DESCRIPTION               | DATE    | BY     | APPR  |
| A1        | -   | RELEASE NEW DRAWING       | 06NOV18 | SULLEN | TOMMY |
| A2        | -   | UPDATED DRAWING           | 18FEB19 | SULLEN | TOMMY |
| A3        | -   | ADD SPACE LIMIT DIMENSION | 15JAN20 | SULLEN | TOMMY |




KEY AB

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PA-12PB-BM01 | DTM13-12PA-12PB-GR01 |
| TIN             | ATM13-12PA-12PB-BM03 | DTM13-12PA-12PB-R008 |




KEY AC

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PA-12PC-BM01 | DTM13-12PA-12PC-GR01 |
| TIN             | ATM13-12PA-12PC-BM03 | DTM13-12PA-12PC-R008 |




KEY AD

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PA-12PD-BM01 | DTM13-12PA-12PD-GR01 |
| TIN             | ATM13-12PA-12PD-BM03 | DTM13-12PA-12PD-R008 |




KEY BA

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PB-12PA-BM01 | DTM13-12PB-12PA-GR01 |
| TIN             | ATM13-12PB-12PA-BM03 | DTM13-12PB-12PA-R008 |



KEY BC

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PB-12PC-BM01 | DTM13-12PB-12PC-GR01 |
| TIN             | ATM13-12PB-12PC-BM03 | DTM13-12PB-12PC-R008 |



KEY BD

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PB-12PD-BM01 | DTM13-12PB-12PD-GR01 |
| TIN             | ATM13-12PB-12PD-BM03 | DTM13-12PB-12PD-R008 |

|                                      |  |                                                                                                                                                                                                                                                                      |  |      |
|--------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------|
| ATM13-12PX-12PX-BMXX                 |  | DESCRIPTION                                                                                                                                                                                                                                                          |  | ITEM |
| PART NUMBER                          |  |                                                                                                                                                                                                                                                                      |  |      |
| QUANTITY                             |  | MATERIALS LIST                                                                                                                                                                                                                                                       |  |      |
| UNLESS OTHERWISE SPECIFIED           |  | SIGNATURES                                                                                                                                                                                                                                                           |  |      |
| 1) All dimensions are in metric(mm). |  | DATE                                                                                                                                                                                                                                                                 |  |      |
| 2) Tolerances are as follows:        |  | DRAWN: SULLENZHANG                                                                                                                                                                                                                                                   |  |      |
| 1 PL DEC ±0.30                       |  | 15JAN20                                                                                                                                                                                                                                                              |  |      |
| 2 PL DEC ±0.15                       |  | CHECKED: ORIONLI                                                                                                                                                                                                                                                     |  |      |
| 3 PL DEC ±0.08                       |  | 16JAN20                                                                                                                                                                                                                                                              |  |      |
| 3) Note reference =                  |  | ENGINEER:                                                                                                                                                                                                                                                            |  |      |
|                                      |  | APPROVAL: TOMMYXIE                                                                                                                                                                                                                                                   |  |      |
|                                      |  | 17JAN20                                                                                                                                                                                                                                                              |  |      |
| MATERIAL SPECIFICATIONS:             |  | CUSTOMER:                                                                                                                                                                                                                                                            |  |      |
| PROCESS SPECIFICATIONS:              |  | THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS. |  |      |
| NEXT ASSY:                           |  | SCALE: NONE                                                                                                                                                                                                                                                          |  |      |
|                                      |  | SHEET 2 OF 4                                                                                                                                                                                                                                                         |  |      |

Amphenol

Sine Systems - www.amphenol-sine.com  
44724 Morley Drive  
Clinton Township, MI 48036

ARMOR IPX RECEPTACLE ATM HEADER,  
2 x 12 POSITIONS, SIZE 20 CONTACT

SIZE

TYPE

DWG NO.

REVISION


B

C-

ATM13-12PX-12PX-BMXX


A3

| REVISIONS |     |                           |         |        |       |
|-----------|-----|---------------------------|---------|--------|-------|
| REV       | ECO | DESCRIPTION               | DATE    | BY     | APPR  |
| A1        | -   | RELEASE NEW DRAWING       | 06NOV18 | SULLEN | TOMMY |
| A2        | -   | UPDATED DRAWING           | 18FEB19 | SULLEN | TOMMY |
| A3        | -   | ADD SPACE LIMIT DIMENSION | 15JAN20 | SULLEN | TOMMY |




KEY CA

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PC-12PA-BM01 | DTM13-12PC-12PA-GR01 |
| TIN             | ATM13-12PC-12PA-BM03 | DTM13-12PC-12PA-R008 |




KEY CB

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PC-12PB-BM01 | DTM13-12PC-12PB-GR01 |
| TIN             | ATM13-12PC-12PB-BM03 | DTM13-12PC-12PB-R008 |




KEY CD

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PC-12PD-BM01 | DTM13-12PC-12PD-GR01 |
| TIN             | ATM13-12PC-12PD-BM03 | DTM13-12PC-12PD-R008 |




KEY DA

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PD-12PA-BM01 | DTM13-12PD-12PA-GR01 |
| TIN             | ATM13-12PD-12PA-BM03 | DTM13-12PD-12PA-R008 |



KEY DB

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PD-12PB-BM01 | DTM13-12PD-12PB-GR01 |
| TIN             | ATM13-12PD-12PB-BM03 | DTM13-12PD-12PB-R008 |



KEY DC

| CONTACT PLATING | PART NUMBER          | REFERENCE            |
|-----------------|----------------------|----------------------|
| GOLD            | ATM13-12PD-12PC-BM01 | DTM13-12PD-12PC-GR01 |
| TIN             | ATM13-12PD-12PC-BM03 | DTM13-12PD-12PC-R008 |

|                                                                                                                                                                                                                                                                               |                |                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ATM13-12PX-12PX-BMXX                                                                                                                                                                                                                                                          |                | DESCRIPTION                                                                                                                                                                                                                                                          |  | ITEM                                                                                                                                                                                                                                                               |
| PART NUMBER                                                                                                                                                                                                                                                                   |                |                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                                                    |
| QUANTITY                                                                                                                                                                                                                                                                      | MATERIALS LIST |                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                                                    |
| <b>UNLESS OTHERWISE SPECIFIED</b><br>1) All dimensions are in metric(mm).<br>2) Tolerances are as follows:<br>1 PL DEC ±0.30<br>2 PL DEC ±0.15<br>3 PL DEC ±0.08<br>3) Note reference =  |                | <b>SIGNATURES</b><br>DRAWN: SULLEN,ZHANG<br>CHECKED: ORIONLI<br>ENGINEER:<br>APPROVAL: TOMMY,XIE                                                                                                                                                                     |  | <div>DATE<br/>15JAN20<br/>16JAN20<br/><br/>17JAN20</div> <div><h1>Amphenol</h1><p>Sine Systems - www.amphenol-sine.com<br/>44724 Morley Drive<br/>Clinton Township, MI 48036</p><p>ARMOR IPX RECEPTACLE ATM HEADER,<br/>2 x 12 POSITIONS,SIZE 20 CONTACT</p></div> |
| MATERIAL SPECIFICATIONS:                                                                                                                                                                                                                                                      |                | CUSTOMER:                                                                                                                                                                                                                                                            |  |                                                                                                                                                                                                                                                                    |
| PROCESS SPECIFICATIONS:                                                                                                                                                                                                                                                       |                | THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS. |  |                                                                                                                                                                                                                                                                    |
| NEXT ASSY:                                                                                                                                                                                                                                                                    |                | SIZE TYPE DWG NO. REVISION<br>B C- ATM13-12PX-12PX-BMXX A3                                                                                                                                                                                                           |  |                                                                                                                                                                                                                                                                    |
|                                                                                                                                                                                                                                                                               |                | SCALE NONE SHEET 3 OF 4                                                                                                                                                                                                                                              |  |                                                                                                                                                                                                                                                                    |



TITLE: ARMOR IPX RECEPTACLE ATM HDR, 2x 12 POSITIONS, SIZE 20 CONTACT

DWG NO: ATM13-12PX-12PX-BMXX


REV: A3

SH: 3


OF: 4



**THREE DIMENSIONAL SPACE LIMIT  
APPROXIMATE INTERNAL SPACE  
FOR COMPONENT SPACE LAYOUT  
MAX. COMPONENT HEIGHT UNDER BOARD 2.00 mm.**



**3D VIEW  
AIPXE-325X4A-XXXX AND  
AIPXE-325X4B-XXXX ENCLOSURE AND  
MOUNTING HARDWARE SHOWN FOR REFERENCE**



| REVISIONS |     |                           |         |        |       |
|-----------|-----|---------------------------|---------|--------|-------|
| REV       | ECO | DESCRIPTION               | DATE    | BY     | APPR  |
| A1        | -   | RELEASE NEW DRAWING       | 06NOV18 | SULLEN | TOMMY |
| A2        | -   | UPDATE DRAWING            | 18FEB19 | SULLEN | TOMMY |
| A3        | -   | ADD SPACE LIMIT DIMENSION | 15JAN20 | SULLEN | TOMMY |

|                                                                                                                                                                                                                                                                                    |                |                                                                                                                                                                                                                                                                      |      |                                                                                                                                                                                                             |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SEE SHEET 2 & 3                                                                                                                                                                                                                                                                    |                | DESCRIPTION                                                                                                                                                                                                                                                          |      | ITEM                                                                                                                                                                                                        |
| PART NUMBER                                                                                                                                                                                                                                                                        |                |                                                                                                                                                                                                                                                                      |      |                                                                                                                                                                                                             |
| QUANTITY                                                                                                                                                                                                                                                                           | MATERIALS LIST |                                                                                                                                                                                                                                                                      |      |                                                                                                                                                                                                             |
| <b>UNLESS OTHERWISE SPECIFIED</b><br>1) All dimensions are in metric (mm).<br>2) Tolerances are as follows:<br>1 PL DEC ±0.30<br>2 PL DEC ±0.15<br>3 PL DEC ±0.08<br><br>3) Note reference =  |                | <b>SIGNATURES</b><br><br>DRAWN: SULEN ZHANG<br><br>CHECKED: ORION LI<br><br>ENGINEER:<br><br>APPROVAL: TOMMY XIE                                                                                                                                                     |      | <b>DATE</b><br><br>15JAN20<br><br>16JAN20<br><br>17JAN20                                                                                                                                                    |
| MATERIAL SPECIFICATIONS:                                                                                                                                                                                                                                                           |                | CUSTOMER:                                                                                                                                                                                                                                                            |      | <div>Amphenol</div> <div>Sine Systems - www.amphenol-sine.com<br/>44724 Morley Drive<br/>Clinton Township, MI 48036</div> <div>ARMOR IPX RECEPTACLE ATM HEADER,<br/>2 x 12 POSITIONS, SIZE 20 CONTACT</div> |
| PROCESS SPECIFICATIONS:                                                                                                                                                                                                                                                            |                | THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL MANUFACTURING VARIATIONS. |      |                                                                                                                                                                                                             |
| NEXT ASSY:                                                                                                                                                                                                                                                                         |                |                                                                                                                                                                                                                                                                      |      |                                                                                                                                                                                                             |
|                                                                                                                                                                                                                                                                                    |                | SIZE                                                                                                                                                                                                                                                                 | TYPE | DWG NO.                                                                                                                                                                                                     |
|                                                                                                                                                                                                                                                                                    |                | B                                                                                                                                                                                                                                                                    | C-   | ATM13-12PX-12PX-BMXX                                                                                                                                                                                        |
|                                                                                                                                                                                                                                                                                    |                | SCALE                                                                                                                                                                                                                                                                | NONE |                                                                                                                                                                                                             |
|                                                                                                                                                                                                                                                                                    |                | SHEET 4 OF 4                                                                                                                                                                                                                                                         |      | REVISION A3                                                                                                                                                                                                 |

**Amphenol**  
Sine Systems - www.amphenol-sine.com  
44724 Morley Drive  
Clinton Township, MI 48036

**ARMOR IPX RECEPTACLE ATM HEADER,  
2 x 12 POSITIONS, SIZE 20 CONTACT**

TITLE: ARMOR IPX RECEPTACLE ATM HDR, 2x12 POSITIONS, SIZE 20 CONTACT  
DWG NO.: ATM13-12PX-12PX-BMXX  
REV: A3  
SH: 4  
OF: 4

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[ATM13-12PB-12PD-BM01](#)