

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

1600746007

Status:

Active

Overview:

MX150 Sealed and Unsealed Connector System

Description:

MX150 Mat-Sealed Female Connector Assembly, Dual Row, 12 Circuits, UL 94V-0, Keying Option B, with Connector Position Assurance, Light Gray

Documents:	
3D Model	Application Specification AS-33472-100-FR-001 (PDF)
Drawing (PDF)	Packaging Specification PK-31300-903-001 (PDF)
3D Model (PDF)	Test Summary 1600742276-TS-000 (PDF)
Product Specification PS-160074-0001-001 (PDF)	Datasheet (PDF)
Application Specification AS-33472-100-001 (PDF)	RoHS Certificate of Compliance (PDF)
Application Specification AS-33472-100-CH-001 (PDF)	

General	
Product Family	Crimp Housings
Series	160074
Application	Power, Wire-to-Board, Wire-to-Wire
More Detailed Tech Information	http://uscar.org/guest/teams/10/Electrical-Wiring-Component-Applications -Partnership
Overview	MX150 Sealed and Unsealed Connector System
Polarization	B
Product Name	MX150
UPC	191128272131
Physical	
Circuits (maximum)	12
Color - Resin	LIGHT GRAY
Gender	Receptacle
Glow-Wire Capable	No
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Resin	Nylon
Net Weight	18.700/g
Number of Rows	2
Packaging Type	Partitioned Carton
Panel Mount	No
Pitch - Mating Interface	3.50mm
Polarized to Mating Part	Yes
Stackable	No
Temperature Range - Operating	-40° to +125°C

Material Info

Reference - Drawing Numbers

Application Specification	AS-33472-100-001, AS-33472-100-CH-001, AS-33472-100-FR-001
Packaging Specification	PK-31300-903-001
Product Specification	PS-160074-0001-001
Sales Drawing	SD-160074-0002-001, SD-33472-0001-001
Test Summary	1600742276-TS-000



Series image - Reference only

EU ELV
Compliant

EU RoHS
Compliant

REACH SVHC

Contained Per -
D(2021)4569-DC (8
July 2021)
reaction mass of
2-ethylhexyl 10-
ethyl-4,4-dioct
Methylhexahydrophthalic
anhydride
Perfluorononan-1-
oic acid
(2,2,3,3,4,4,5,5,6,6,7
Dioctyltin dilaurate,
stannane, dioctyl-,
bis(co
Pyrene
Fluoranthene
Tris(4-nonylphenyl,
branched and linear)
phosphi
Zirconia
Aluminosilicate
Refractory Ceramic
Fibr
Aluminosilicate
Refractory Ceramic
Fibres
n-pentyl-
isopentylphthalate
1,2-
Benzenedicarboxylic
acid, dipentyl ester, br
diisohexyl phthalate
1,2-
Benzenedicarboxylic
acid, dihexyl ester,
bra
2-(2H-Benzotriazol-2-
yl)-4-(tert-butyl)-6-
(sec-b

China RoHS

Dibutylbis(pentane-2,4-dionato-O,O')tin
Disodium-octaborate
C.I. Direct Black 38
Dibutyltin-dichloride
1,2-diethoxyethane
Disodium 3,3'-[[1,1'-Biphenyl]-4,4'-Diylbis(Azo)]-4,4'-bis(2-(2-methoxyethoxy)ethyl) ether
Fatty Acids, C16-18,
Lead Salts
[Phthalato(2-)]dioxotrilead
Tetralead-trioxide-sulphate
Trilead-dioxide-phosphonate
Lead oxide sulfate (Pb2O(SO4))
Lead-dinitrate
pyrochlore, antimony
lead yellow
Cadmium
Cadmium-sulphide
Cadmium-oxide
Decabromodiphenylether
1,2-bis(2-methoxyethoxy)ethane
1,2-Dimethoxyethane
Pentazinc-chromate-octahydroxide
1,2-Benzenedicarboxylic acid, di-C6-8-branched a
1,2-Benzenedicarboxylic acid, di-C7-11-branched
Strontium-chromate
Boric acid, disodium salt, hydrate
Tris(2-chloroethyl)phosphate
Lead sulfochromate yellow

Halogen-Free Status
Not Relevant

For more information, please visit [Contact US](#)

China ROHS	Not Relevant
ELV	Compliant
RoHS Phthalates	Not Contained

Search Parts in this Series
[160074](#) Series

Mates With
[160084](#) Male Dual Row Sealed Connector

Use With

MX150 Female Terminal 33012 , 33001

MX150 Sealed Receptacle Cavity Plug
343454001

This document was generated on 09/13/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[160074-6007](#)