

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0194340004

Status:

Active

Overview:

MX150L Industrial Sealed Connector System

Description:

MX150L Female Terminal for 8 AWG Wire

Documents:

Drawing (PDF)

Product Specification PS-19432-001-001 (PDF)

Packaging Specification PK-19434-001-001 (PDF)

Brochure (PDF)

RoHS Certificate of Compliance (PDF)

Agency Certification

CSA

UL

LR18689

E152602

General

Product Family

Series

Application

Comments

Crimp Quality Equipment

Overview

Packaging Alternative

Product Name

UPC

Crimp Terminals

19434

Power, Wire-to-Board, Wire-to-Wire

UL EI52602

Yes

MX150L Industrial Sealed Connector System

194340002 (Reel)

MX150L

822350193160

Physical

Gender

Material - Metal

Material - Plating Mating

Net Weight

Packaging Type

Wire Insulation Diameter

Wire Size AWG

Wire Size mm²

Female

Copper

Tin

0.828/g

Bag

6.02mm

8

N/A

Material Info

Reference - Drawing Numbers

Packaging Specification

Product Specification

Sales Drawing

PK-19434-001-001

PS-19432-001-001

SD-19434-001-001



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Compliant

China RoHS

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit [Contact US](#)

China ROHS

ELV

RoHS Phthalates

Green Image

Not Relevant

Not Contained

Search Parts in this Series

19434 Series

Mates With

19431 Male Terminal

Use With

19432 Female Receptacle

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global	
Description	Product #
Extraction Toolkit for MX150 Connectors	2002220700
Hand Crimp Tool for Crimp Terminals	638115400

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[19434-0004](#)