

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

2005010121

Status:

Active

Overview:

stAK50h Connection System

Description:

stAK50h Vertical Hybrid Header, 12 Circuits, Key 1, Black, Tube

Documents:	
3D Model	Product Specification 2005060001-PS-000 (PDF)
3D Model (PDF)	Application Specification 2005060000-AS-000 (PDF)
Drawing (PDF)	Test Summary 2005010120-TS-000 (PDF)
Product Specification 1600140001-000 (PDF)	Datasheet (PDF)
Product Specification 1600140002-PS-000 (PDF)	RoHS Certificate of Compliance (PDF)

General	
Product Family	PCB Headers
Series	200501
Application	Automotive, Power, Signal, Wire-to-Board
Overview	stAK50h Connection System
Product Name	stAK50h
UPC	889056679411

Physical	
Breakaway	No
Circuits (Loaded)	12
Circuits (maximum)	12
Color - Resin	Black
Durability (mating cycles max)	10
First Mate / Last Break	No
Glow-Wire Capable	No
Guide to Mating Part	Yes
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Material - Resin	SPS
Net Weight	6.782/g
Number of Rows	4
Orientation	Vertical
PCB Locator	Yes
PCB Retention	None
PCB Thickness - Recommended	1.60mm
Packaging Type	Tube
Pitch - Mating Interface	2.00mm, 4.00mm, 5.20mm, 7.20mm
Pitch - Termination Interface	2.00mm, 3.20mm, 4.00mm, 5.20mm
Polarized to Mating Part	Yes
Polarized to PCB	Yes
Shrouded	Yes
Stackable	Yes
Surface Mount Compatible (SMC)	Yes
Temperature Range - Operating	-40° to +105°C LV-214, -40° to +85°C GMW3191
Termination Interface: Style	June2012 Through Hole

Electrical	
Current - Maximum per Contact	12.0A, 30.0A
Voltage - Maximum	14V DC



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Low-Halogen

For more information, please visit

Contact US

China ROHS

ELV

RoHS Phthalates

Green Image

Compliant

Not Contained

Search Parts in this Series

200501 Series

Mates With

stAK50h Hybrid Receptacle 1600260001

Material Info

Reference - Drawing Numbers

Application Specification	2005060000-AS-000
Product Specification	1600140001-000, 1600140002-PS-000, 2005060001-PS-000
Sales Drawing	2005011120SD-000
Test Summary	2005010120-TS-000

This document was generated on 10/04/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[200501-0121](#)