






WIRE DRESS COVER OPTION



NOTES

1. APPLICABLE TERMINAL

0.5 : 560121 SERIES

2.8 : 560122 SERIES
2. APPLICABLE WIRE SIZE

0.5 : REFER AS-560121-001

2.8 : REFER AS-560122-001
3. APPLICABLE INSULATION DIAMETER

0.5 : $\varnothing 1.1 \sim 1.7$ mm

2.8 : $\varnothing 2.5 \sim 3.0$ mm
4. APPLICABLE DUMMY PLUG

0.5 : 560144-0115

2.8 : 560145-0101
5. APPLICABLE WIRE DRESS COVER

SHORT : 560189-0101

LONG : 560189-0111

0.5 TERMINAL SIDE	560151-4822
2.8 TERMINAL SIDE	560151-4832
WIRE PULLOUT DIRECTION	MATERIAL No.




GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 UNDER	± 0.3
10 OVER 30 UNDER	± 0.4
30 OVER	± 0.5
ANGULAR	$\pm 5^\circ$

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex COMPACTUS 48WAY ASSY						
mm		1:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)													
ANGULAR TOL		± °											
4 PLACES		±											
3 PLACES		±											
2 PLACES		±		INITIAL REVISION:			PRODUCT CUSTOMER DRAWING						
1 PLACE		±											
0 PLACES		±											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS													
EC NO: 620306				2019/06/03			DOCUMENT NUMBER			DOC TYPE	DOC PART	REVISION	
DRWN: KKATO01													
CHK'D: TIIDA01													
APPR: TOSADA				2019/07/18			5601510002-SD			PSD	000	A	
DRWN: KKATO01				2019/06/03									
APPR: TOSADA				2019/07/18									
THIRD ANGLE PROJECTION				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A3-SIZE		560151		SEE TABLE		GENERAL		1 OF 2	


WIRE PULLOUT DIRECTION

2.8 TERMINAL SIDE : 560151-4832

0.5 TERMINAL SIDE : 560151-4822



No.	PRODUCT NAME	MATERIAL	COLOR
1	INNER HOUSING	PBT, UNFILLED	BLACK
2	FRONT COVER	PBT, GLASS-FILLED	BLACK
3	ISL	PBT, GLASS-FILLED	NATURAL (WHITE)
4	REAR SEAL COVER	PBT, GLASS-FILLED	BLACK
5	OUTER HOUSING	PBT, GLASS-FILLED	BLACK
6	SLIDER	PA, GLASS-FILLED	NATURAL (WHITE)
7	LEVER	PBT, GLASS-FILLED	DARK GRAY
8	GROMMET SEAL	SILICONE RUBBER	DARK BLUE
9	RING SEAL	SILICONE RUBBER	YELLOW

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:			molex		
mm		1:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)							COMPACTUS 48WAY ASSY		
ANGULAR TOL ± °									
4 PLACES		±		EC NO: 620306			PRODUCT CUSTOMER DRAWING		
3 PLACES		±		DRWN: KKATO01 2019/06/03					
2 PLACES		±		CHK'D: TIIDA01 2019/07/17					
1 PLACES		±		APPR: TOSADA 2019/07/18			DOCUMENT NUMBER 5601510002-SD DOC TYPE PSD DOC PART 000 REVISION A		
0 PLACES		±		INITIAL REVISION:					
				DRWN: KKATO01 2019/06/03					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER	
				A3-SIZE		560151		CUSTOMER	
								GENERAL	
								SHEET NUMBER	
								2 OF 2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

560151-4822