

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0349052450

Status:

Active

Overview:

Mini50 Connection Systems

Description:

CTX50 Receptacle Terminal, Sealed, Tin, S-Grip, B-Wind, Right Payoff, Wire Insulation Diameter 0.95-1.05mm



Series image - Reference only

Documents:

[Drawing \(PDF\)](#)

[Packaging Specification 313025040-000 \(PDF\)](#)

[Datasheet \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Crimp Terminals
Series	34905
Application	Power, Wire-to-Board
Crimp Quality Equipment	Yes
Overview	Mini50 Connection Systems
Product Name	CTX50
UPC	191130050017
Physical	
Gender	Female
Grip Code	S
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Net Weight	0.072/g
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	0.95-1.05
Wire Size AWG	N/A
Wire Size mm²	0.13
Electrical	
Current - Maximum per Contact	4.0A
Voltage - Maximum	14V DC
Material Info	
Reference - Drawing Numbers	
Packaging Specification	313025040-000
Sales Drawing	349050400-000

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit

Contact US

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

34905 Series

Use With

Mini50 Sealed Receptacle Housing 34967

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
Hand Crimp Tool for CTX50 Small Grip Sealed Receptacle Terminals, 0.13mm² FLR2X CUSN Wire	2002184300
Extraction Tool for CTX50 Contacts for Mini50 Sealed Connection System	638247500

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[34905-2450](#)