

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0330015021

Status:

Active

Overview:

MX150 Sealed and Unsealed Connector System

Description:

MX150 Female Terminal for Unsealed Connectors, Silver Plating, 14 and 16 AWG, Left Reel Payoff. Not suitable for MX150 Sealed Connectors.

Documents:

- Drawing (PDF)

Product Specification PS-33012-002-001 (PDF)

Application Specification AS-33012-002-001 (PDF)

Application Specification AS-33012-002-CH-001 (PDF)

Application Specification AS-33012-002-FR-001 (PDF)
- Test Summary TS-33001-003-001 (PDF)

Test Summary TS-33001-004-001 (PDF)

Datasheet (PDF)

RoHS Certificate of Compliance (PDF)

General

Product Family

Series

Application

Comments

Crimp Quality Equipment

Overview

Product Name

UPC

Crimp Terminals

33001

Power, Wire-to-Board, Wire-to-Wire

Left Reel Payoff, Small Polarization Rib. Not to be used with MX150 Sealed Connectors

Yes

MX150 Sealed and Unsealed Connector System

MX150

822350754439

Physical

Gender

Grip Code

Material - Metal

Material - Plating Mating

Material - Plating Termination

Net Weight

Packaging Type

Plating min - Mating

Plating min - Termination

Termination Interface: Style

Wire Insulation Diameter

Wire Size AWG

Wire Size mm²

Female

14

High Performance Alloy (HPA)

Silver

Tin

0.443/g

Reel

0.762µm

2.540µm

Crimp or Compression

2.70mm max.

14, 16

1.50

Electrical

Current - Maximum per Contact

Voltage - Maximum

Contact Molex

14V DC

Solder Process Data

Lead-freeProcess Capability

N/A

Material Info

Reference - Drawing Numbers

Application Specification

Product Specification

Sales Drawing

Test Summary

AS-33012-002-001, AS-33012-002-CH-001, AS-33012-002-FR-001

PS-33012-002-001

SD-33012-002-001

TS-33001-003-001, TS-33001-004-001



Series image - Reference only

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Not Contained Per -
D(2021)4569-DC (8
July 2021)

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China RoHS

China ROHS

ELV

RoHS Phthalates

Not Relevant

Compliant

Not Contained

Search Parts in this Series

33001 Series

Use With

33472 Dual Row Housing. 33476 Hybrid Housing. 33471 Single Row Housing

Application Tooling | FAQ

Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description

Product #

Extraction Toolkit for MX150 Connectors

FA2 Mechanical Feed Applicator for MX150 Mat Seal/ Unsealed Receptacle Terminals, 14 AWG,16 AWG, 1.25mm² and 1.50mm²

2002220700

638082300

FA2 Pneumatic Feed Applicator for MX150 Mat Seal/ Unsealed Receptacle Terminals, 14 AWG, 16 AWG, 1.25mm² and 1.50mm²	<u>638082310</u>
PremiumGrade Hand Crimp Tool for MX150 Female Terminals, 14-16 AWG	<u>638115900</u>
PremiumGrade Hand Crimp Tool for MX150 Female Terminals for 1.00mm² and 1.50mm² Metric Wires	<u>638116100</u>
Extraction Tool for MX150L, MX150, PT Bulb Socket, iGrid, SPOX, and Wire-to- Motor Terminals	<u>638131500</u>
ServiceGrade Hand Crimp Tool for MX150 Crimp Terminals, 14-22 AWG	<u>640160133</u>

This document was generated on 10/05/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[33001-5021](#)