

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0348050211

Status:

Active

Overview:

CMC and CMX Sealed, Hybrid, Modular Connectors

Description:

CTX150 Female Terminal, Tin (Sn), 22 AWG B-Wind, Right Payoff, Grip Code S



Series image - Reference only

Documents:	
Drawing (PDF)	Application Specification AS-502307-001-CH-001 (PDF)
Product Specification PS-502307-001-001 (PDF)	Application Specification AS-502307-001-FR-001 (PDF)
Application Specification AS-502307-001-001 (PDF)	RoHS Certificate of Compliance (PDF)

General	
Product Family	Crimp Terminals
Series	34805
Application	Power, Wire-to-Wire
Comments	Right Reel Payoff For automatic and semi-automatic crimping, use Left Reel Payoff terminals. See Sales Drawing for Left Reel Payoff Part Numbers.
Crimp Quality Equipment	Yes
Overview	CMC and CMX Sealed, Hybrid, Modular Connectors
Product Name	CTX150
UPC	884982651173
Physical	
Durability (mating cycles max)	10
Gender	Female
Material - Metal	Copper Alloy
Material - Plating Mating	Tin
Material - Plating Termination	Nickel
Net Weight	0.224/g
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	2.80mm
Wire Size AWG	22
Wire Size mm²	0.35-0.50
Electrical	
Current - Maximum per Contact	15.0A
Voltage - Maximum	250V
Material Info	
Reference - Drawing Numbers	
Application Specification	AS-502307-001-001, AS-502307-001-CH-001, AS-502307-001-FR-001
Product Specification	PS-502307-001-001
Sales Drawing	SD-34805-001-001

EU ELV

Compliant

EU RoHS

Compliant

REACH SVHC

Contained Per - D(2021)4569-DC (8 July 2021) reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioct Methylhexahydrophthalic anhydride Perfluorononan-1-oic acid (2,2,3,3,4,4,5,5,6,6,7 Dioctyltin dilaurate, stannane, dioctyl-, bis(co Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o Nonadecafluorodecanoic acid (PFDA) and its sodiu Zirconia Aluminosilicate Refractory Ceramic Fibr Aluminosilicate Refractory Ceramic Fibres n-pentyl-isopentylphthalate 1,2-Benzenedicarboxylic acid, dipentyl ester, br 1,2-Benzenedicarboxylic acid, dihexyl ester, bra Terphenyl, hydrogenated 2-(2H-Benzotriazol-2-yl)-4,6-ditertpentylphenol

2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3, Disodium-octaborate 1,3-Propanesultone 1,2- Benzenedicarboxylic acid, bis(3-methylbutyl) Phenanthrene Dicyclohexyl-phthalate 4-aminoazobenzene Fatty Acids, C16-18, Lead Salts Cyanamide, lead(2+) salt (1:1) Lead titanium zirconium oxide Dioxobis(stearato)trilead Tetralead-trioxide-sulphate Trilead-dioxide-phosphonate Pentalead-tetraoxide-sulphate Lead-titanium-trioxide Diboron-trioxide 1,2- Benzenedicarboxylic acid, bis(2-methoxyethyl Pentazinc-chromate-octahydroxide Potassium hydroxyoctaoxodizincatedichromate Boric acid, disodium salt, hydrate

Halogen-Free Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS	Not Relevant
ELV	Compliant
RoHS Phthalates	Not Contained

Search Parts in this Series
[34805](#) Series

Application Tooling | [FAQ](#)
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global	
Description	Product #
Hand Crimp Tool for CTX 1.50mm Receptacle Terminal, 0.30, 0.35, and 0.50mm² Wires	638193900

This document was generated on 10/04/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[34805-0211](#)