

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0354779002](#)
Status: **Active**
Overview: [Automotive Bulb Sockets](#)
Description: Wedge Bulb Socket Terminal, Sealed/Unsealed Type, Pre-Tin Plated


Documents:
[Drawing \(PDF\)](#) [Packaging Specification PK-35477-001-001 \(PDF\)](#)
[Product Specification PS-68147-001 \(PDF\)](#) [RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Crimp Terminals
Series	35477
Application	Power
Crimp Quality Equipment	Yes
Overview	Automotive Bulb Sockets
Product Name	Wedge Bulb Socket
UPC	756054283103
Physical	
Gender	Female
Material - Metal	Brass
Material - Plating Mating	Tin-Copper
Net Weight	0.506/g
Packaging Type	Reel
Termination Interface: Style	Crimp or Compression
Wire Insulation Diameter	2.00-2.30mm
Wire Size AWG	N/A
Wire Size mm²	AVS 0.50-0.85 / FLRY-A 0.75

Material Info

Reference - Drawing Numbers

Packaging Specification	PK-35477-001-001
Product Specification	PS-68147-001
Sales Drawing	SD-35477-001



Series image - Reference only

EU ELV
Compliant

EU RoHS
Compliant
REACH SVHC

Not Contained Per -
D(2020)9139-DC (19
Jan 2021)

Halogen-Free
Status
Low-Halogen

For more information, please visit [Contact US](#)

China ROHS	Green Image
ELV	Compliant
RoHS Phthalates	Not Contained

Search Parts in this Series
[35477 Series](#)

Use With
[68147](#) , [49505](#)

Application Tooling | FAQ
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global	
Description	Product #
Extraction and Activation Tool	638132700
Hand Crimp Tool for Bulb Socket Wedge Terminal for 0.50 to 0.85mm² wire used with Wire Seal FineAdjust Applicator	638195300
Wedge Terminal,	639011100

This document was generated on 04/06/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[35477-9002](#)