

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0348063008

Status:

Active

Description:

CTX150 RCPT TERM HP AG L DWND WS EB GEN

Documents:

Drawing (PDF)	Application Specification AS-64327-001-001 (PDF)
Product Specification 643270001-PS-000 (PDF)	Application Specification AS-98420-003-001 (PDF)
Product Specification PS-502307-002-001 (PDF)	Application Specification AS-98420-003-CH-001 (PDF)
Application Specification AS-502307-002-001 (PDF)	Application Specification AS-98420-003-FR-001 (PDF)
Application Specification AS-502307-002-CH-001 (PDF)	Packaging Specification 313025040-000 (PDF)
Application Specification AS-502307-002-FR-001 (PDF)	RoHS Certificate of Compliance (PDF)

General

Product Family	Crimp Terminals
Series	34806
Crimp Quality Equipment	Yes
UPC	887191241913

Physical

Net Weight	0.271/g
------------	---------

Material Info

Reference - Drawing Numbers

Application Specification	AS-502307-002-001, AS-502307-002-CH-001, AS-502307-002-FR-001, AS-64327-001-001, AS-98420-003-001, AS-98420-003-CH-001, AS-98420-003-FR-001
Packaging Specification	313025040-000
Product Specification	643270001-PS-000, PS-502307-002-001
Sales Drawing	SD-34806-001-001

EU ELV
Compliant

EU RoHS
Compliant

China RoHS

REACH SVHC
Contained Per -
D(2021)4569-DC (8
July 2021)
reaction mass of
2-ethylhexyl 10-
ethyl-4,4-dioct
Methylhexahydrophthalic
anhydride
Perfluorononan-1-
oic acid
(2,2,3,3,4,4,5,5,6,6,7
Dioctyltin dilaurate,
stannane, dioctyl-,
bis(co
Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]o
Nonadecafluorodecanoic
acid (PFDA) and its
sodiu
Zirconia
Aluminosilicate
Refractory Ceramic
Fibr
Aluminosilicate
Refractory Ceramic
Fibres
n-pentyl-
isopentylphthalate
1,2-
Benzenedicarboxylic
acid, dipentyl ester, br
1,2-
Benzenedicarboxylic
acid, dihexyl ester,
bra
Terphenyl,
hydrogenated
2-(2H-Benzotriazol-2-
yl)-4,6-
ditertpentylphenol
2-ethylhexyl 10-
ethyl-4,4-dioctyl-7-
oxo-8-oxa-3,
Disodium-octaborate
1,3-Propanesultone
1,2-
Benzenedicarboxylic
acid, bis(3-
methylbutyl)
Phenanthrene
Dicyclohexyl-
phthalate

4-aminoazobenzene
Fatty Acids, C16-18,
Lead Salts
Cyanamide, lead(2+)
salt (1:1)
Lead titanium
zirconium oxide
Dioxobis(stearato)trilead
Tetralead-trioxide-
sulphate
Trilead-dioxide-
phosphonate
Pentalead-tetraoxide-
sulphate
Lead-titanium-trioxide
Diboron-trioxide
1,2-
Benzenedicarboxylic
acid, bis(2-
methoxyethyl
Pentazinc-chromate-
octahydroxide
Potassium
hydroxyoctaoxodizincatedichromate
Boric acid, disodium
salt, hydrate

**Halogen-Free
Status**

Not Relevant

For more information, please visit [Contact US](#)

China ROHS	Not Relevant
ELV	Compliant
RoHS Phthalates	Not Contained

Search Parts in this Series
[34806](#) Series

Application Tooling | [FAQ](#)
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.

Global

Description	Product #
FA2 Mechanical Feed Applicator for CTX150 (L) 1.50mm ² Wire Seal	638084900
FA@ Pneumatic Feed Crimp Applicator for CTX150 (L) 1.50mm ² Wire Seal	638084910
Hand Crimp Tool For CTX150 SWS Receptacle Terminals	638234700

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Molex:](#)

[34806-3008](#)