



WIRE DRESS COVER OPTION




0.5 TERMINAL
AREA

1.0 TERMINAL
AREA




LOT MARKING
- MATERIAL No.
- DATE
- SHIFT




SHORT WIRE DRESS COVER

WIRE TIE UP HOLE
FOR SHORT WIRE
DRESS COVER



LONG WIRE DRESS COVER

WIRE TIE UP HOLE
FOR LONG WIRE
DRESS COVER




NOTES

1. APPLICABLE TERMINAL
0.5 : 560121 SERIES
1.0 : 560205 SERIES
2. APPLICABLE WIRE SIZE
0.5 : REFER AS-560121-001
1.0 : REFER AS-560205-001
3. APPLICABLE INSULATION DIAMETER
0.5 : $\varnothing 1.1 \sim 1.7$ mm
1.0 : $\varnothing 1.25 \sim 2.3$ mm
4. APPLICABLE DUMMY PLUG
0.5 : 560144-0115
1.0 : 503131-0151
5. APPLICABLE WIRE DRESS COVER
SHORT : 560191-0101
LONG : 560191-0111

0.5 TERMINAL SIDE	560155-1402
1.0 TERMINAL SIDE	560155-1412
WIRE PULLOUT DIRECTION	MATERIAL No.




GENERAL TOLERANCES (UNLESS SPECIFIED)	
10 UNDER	± 0.3
10 OVER 30 UNDER	± 0.4
30 OVER	± 0.5
ANGULAR	$\pm 5^\circ$

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								
DIMENSION UNITS		SCALE		molex				
mm		1:1						
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 620306 DRWN: KKAT001 2019/05/30 CHK'D: TIIDA01 2019/07/17 APPR: TOSADA 2019/07/18		COMPACTUS 114WAY ASSY				
ANGULAR TOL ± °								
4 PLACES ±								
3 PLACES ±								
2 PLACES ±		INITIAL REVISION: DRWN: KKAT001 2019/05/30 APPR: TOSADA 2019/07/18		PRODUCT CUSTOMER DRAWING				
1 PLACE ±								
0 PLACES ±								
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS								
THIRD ANGLE PROJECTION		DRAWING	SERIES	DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
		A3-SIZE	560155	5601550001-SD		PSD	000	A
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
				SEE TABLE		GENERAL		1 OF 2


WIRE PULLOUT DIRECTION

1.0 TERMINAL SIDE : 560155-1412

0.5 TERMINAL SIDE : 560155-1402



No.	PRODUCT NAME	MATERIAL	COLOR
1	INNER HOUSING	PBT, UNFILLED	BLACK
2	FRONT COVER	PBT, GLASS-FILLED	BLACK
3	ISL	PBT, GLASS-FILLED	NATURAL (WHITE)
4	REAR SEAL COVER	PBT, GLASS-FILLED	BLACK
5	OUTER HOUSING	PBT, GLASS-FILLED	BLACK
6	SLIDER	PA, GLASS-FILLED	BLACK
7	LEVER	PBT, GLASS-FILLED	DARK GRAY
8	GROMMET SEAL	SILICONE RUBBER	DARK BLUE
9	RING SEAL	SILICONE RUBBER	ORANGE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC:				molex							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 620306 DRWN: KKATO012019/05/30 CHK'D: TIIDA012019/07/17 APPR: TOSADA2019/07/18				COMPACTUS 114WAY ASSY							
ANGULAR TOL ± °															
4 PLACES		±		INITIAL REVISION:				DOCUMENT NUMBER 5601550001-SD		DOC TYPE PSD		DOC PART 000		REVISION A	
3 PLACES		±													
2 PLACES		±		DRWN: KKATO012019/05/30 APPR: TOSADA2019/07/18				MATERIAL NUMBER SEE TABLE		CUSTOMER GENERAL		SHEET NUMBER 2 OF 2			
1 PLACE		±													
0 PLACES		±													
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES							
						A3-SIZE		560155							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[560155-1402](#) [560155-1412](#)