






M	TABLE OF CONTENTS															
	SHEET DESCRIPTION															
	1	NOTES, INSPECTION BALLOON NUMBER LOG, NOMINAL DIMENSION RANGE LIST, REV.COLUMN, RECEPCTCLE ASSEMBLY LIST, ISOMETRIC VIEW,ISL EXPLODED VIEW, CTX50 TERMINAL LIST,TYCO MCON LIST														
	2	34&38WAY POLARIZATION OPTION VIEW,														
L	3	POL A&B&C DIFFERENCE WITH UPDATED POL A&B&C VIEW, HB / V0 VERSION DIFFERENCE														
	4	DETAIL DIMENSION VIEW														



34WAY
ISOMETRIC VIEWS
SCALE 3:1



38WAY
ISOMETRIC VIEWS
SCALE 3:1



ISL EXPLODED VIEW
SCALE 3:1

NOTES: VALID UNLESS OTHERWISE SPECIFIED

1. GENERAL:

- a. APPLICATION SPECIFICATION SEE: AS-34959-001
- b. HB PRODUCT SPECIFICATION SEE: PS-34959-001
- c. V0 PRODUCT SPECIFICATION SEE: 2133550000-PS

2. DESIGN - MATERIALS:

- a. PLASTIC HSG :
 - i. HB RESIN : PA66 GF35
 - ii. V0 RESIN: PA66 GF30
- b. ISL:
 - i. HB RESIN : PA66 GF50
 - ii. V0 RESIN: PA66 GF30
- c. CPA RESIN: PA66 GF50

3. DESIGN - GEOMETRY:

- a. ALL GRAPHIC DATA IS BASIC (NO TOLERANCE) AND MUST BE TAKEN FROM THE DATA FILE AT ITS LATEST REVISION.
- b. PRODUCT DESIGN MODEL NUMBER(S): SEE BOM TABLE ON SHEET 2
- c. GEOMETRIC DIMENSIONS AND TOLERANCES PER ASME Y14.5X-2009
- d. EDGES AND UNDIMENSIONED DETAILS PER ISO13715
- e. CORNERS SHOWN AS SHARP TO BE R 0.2 MAX.
- f. LETTERING SHALL BE 0.15 MAX RAISED IN 0.25 MAX RECESS PAD. THIS INCLUDES RECYCLING CODE, CAVITY ID, VENDOR IDENTIFICATION, AND CUSTOMER MATERIAL NUMBER.

4. DESIGN - MANUFACTURING:

- a. VISUAL DEFECTS SHALL MEET COSMETIC STANDARD PS-45499-002 (Class B)

5. ISL IS SHIPPED IN SEATED POSITION AND MUST BE REMOVED PRIOR TO TERMINAL INSTALLATION

6. RECYCLE CODE:

- a. HB RESIN: PA66-GF35
- b. V0 RESIN: PA66-GF30

MINI50 34&38 WAY RECEPTACLE ASSEMBLY LIST

MOLEX ASSEMBLY PART NO.'S	ASSEMBLY STATUS	FLAMMABILITY UL94	CIRCUIT	POL	COLOR	MATING COMPONENT		STATUS
						VERTICAL HEADER	RIGHT ANGLE HEADER	
34959-0340	WITH CPA	HB	34	A	BLACK	34958-0340	34961-0340	SALEABLE
34959-0341	WITH CPA	HB	34	B	GRAY	34958-0341	34961-0341	SALEABLE
34959-0342	WITH CPA	HB	34	C	DARK GRAY	34958-0342	34961-0342	SALEABLE
34959-0380	WITH CPA	HB	38	A	BLACK	34958-0380	34961-0380	OBSOLETED
34959-0381	WITH CPA	HB	38	B	GRAY	34958-0381	34961-0381	OBSOLETED
34959-0382	WITH CPA	HB	38	C	DARK GRAY	34958-0382	34961-0382	OBSOLETED
34959-0383	WITH CPA	HB	38	UPDATED A	BLACK	34958-0383	34961-0383	SALEABLE
34959-0384	WITH CPA	HB	38	UPDATED B	GRAY	34958-0384	34961-0384	SALEABLE
34959-0385	WITH CPA	HB	38	UPDATED C	DARK GRAY	34958-0385	34961-0385	SALEABLE
34959-0347	\	HB	34	A	BLACK	34958-0340	34961-0340	SALEABLE
34959-0348	\	HB	34	B	GRAY	34958-0341	34961-0341	SALEABLE
34959-0349	\	HB	34	C	DARK GRAY	34958-0342	34961-0342	SALEABLE
34959-0387	\	HB	38	A	BLACK	34958-0380	34961-0380	OBSOLETED
34959-0388	\	HB	38	B	GRAY	34958-0381	34961-0381	OBSOLETED
34959-0389	\	HB	38	C	DARK GRAY	34958-0382	34961-0382	OBSOLETED
34959-0390	\	HB	38	UPDATED A	BLACK	34958-0383	34961-0383	SALEABLE
34959-0391	\	HB	38	UPDATED B	GRAY	34958-0384	34961-0384	SALEABLE
34959-0392	\	HB	38	UPDATED C	DARK GRAY	34958-0385	34961-0385	SALEABLE
2133560340	WITH CPA	V0	34	A	BLACK	2133820340	2133550340	SALEABLE
2133560341	WITH CPA	V0	34	B	GRAY	2133820341	2133550341	SALEABLE
2133560342	WITH CPA	V0	34	C	DARK GRAY	2133820342	2133550342	SALEABLE
2133560343	\	V0	34	A	BLACK	2133820340	2133550340	SALEABLE
2133560344	\	V0	34	B	GRAY	2133820341	2133550341	SALEABLE
2133560345	\	V0	34	C	DARK GRAY	2133820342	2133550342	SALEABLE
2133560380	WITH CPA	V0	38	UPDATED A	BLACK	2133820380	2133550380	SALEABLE
2133560381	WITH CPA	V0	38	UPDATED B	GRAY	2133820381	2133550381	SALEABLE
2133560382	WITH CPA	V0	38	UPDATED C	DARK GRAY	2133820382	2133550382	SALEABLE
2133560383	\	V0	38	UPDATED A	BLACK	2133820380	2133550380	SALEABLE
2133560384	\	V0	38	UPDATED B	GRAY	2133820381	2133550381	SALEABLE
2133560385	\	V0	38	UPDATED C	DARK GRAY	2133820382	2133550382	SALEABLE

CTX50 UNSEALED RECEPTACLE TERMINALS

PART NUMBER		MATERIAL	WIRE GAGE (mm²)	GRIP
D-WIND (LEFT PAYOFF)	B-WIND (RIGHT PAYOFF)			
5600230448	5600230450	COPPER ALLOY	0.35	LARGE
5600230421	5600230423	COPPER ALLOY	0.22	MEDIUM
5600230444	5600230445	COPPER ALLOY	0.13	SMALL

TYCO MCON UNSEALED RECEPTACLE TERMINALS

PART NUMBER	MATERIAL	WIRE GAGE (mm²)	GRIP
7-1452659	COPPER ALLOY	1.00 mm² or 18 AWG	LARGE
7-1452656	COPPER ALLOY	0.50 - 0.75 mm² or 20 AWG	MEDIUM
7-1452653	COPPER ALLOY	0.35 mm² or 22 AWG	SMALL

E	1. UPDATED MINI50 34&38WAY RECEPTACLE ASSEMBLY LIST IN SHEET 1 2. ADDED V0 PRODUCT SPECIFICATION, MATERIALS INFORMATION AND RECYCLE CODE IN NOTE. 3. ADDED SHEET 2 TO SHOW 34&38WAY POLARIZATION OPTION 4. ADDED SHEET 3 TO SHOW POLA & B & C DIFFERENCE WITH UPDATED POL A & B & C VIEW, AND HB / V0 VERSION DIFFERENCE 5. UPDATED CTX50 SMALL GRIP TERMINAL INFORMATION IN SHEET 1	632993
D1	1. UPDATED POLARIZATION FEATURE FOR 34959-038X (X=3,4,5) AND 34959-039X(X=0,1,2) 2. ADDED CIRCUIT NUMBER FOR MIDDLE ROW ON SHEET 3. 3. ADDED DIM 1A.	607356
D	ADDED NEW VIEW OF UPDATED POL A & B & C.SEE SHEET 1. ADDED NEW P/N: 34959-0383 \ 34959-0384 \ 34959-0385 34959-0390\34959-0391\34959-0392 IN THE BOM ON SHEET 2. ADDED PRODUCT STATUS IN THE BOM ON SHEET 2. POL A&B&C DIFFERENCE WITH UPDATED POL A&B&C: ONLY REMOVED THE RIB FEATURE BESIDES LOCK LATCH ,SEE SHEET 4.	10877382
REV	REV DESCRIPTION	
	ECN SAP NO.	


DIN 16901	CODE LETTER	NOMINAL DIMENSION RANGE													
		OVER	0	1	3	6	10	15	22	30	40	53	70	90	120
		UP TO	1	3	6	10	15	22	30	40	53	70	90	120	160
PRECISION	A		±0.10	±0.12	±0.14	±0.16	±0.20	±0.22	±0.24	±0.26	±0.28	±0.31	±0.35	±0.40	±0.50
ENGINEERING	B		±0.05	±0.06	±0.07	±0.08	±0.10	±0.12	±0.14	±0.16	±0.18	±0.21	±0.25	±0.30	±0.40
A: FOR NON-MOLD RELATED DIMENSIONS (ACROSS PARTING LINE)															
B: FOR MOLD RELATED DIMENSIONS (WITHIN MOLD COMPONENTS)															

INSPECTION BALLOON NUMBER LOG															
PER DRAWING REVISION: E															
LAST BALLOON NUMBER USED: 4															
ADDED BALLOON NUMBERS:															
REMOVED BALLOON NUMBERS:															


FUNCTIONAL SYMBOLS FA = 0 FC = 0 FP = 0 DIVISIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										CURRENT REV DESC: OBSOLETE PART NUMBER										molex 34/38 WAY MINI50 FEMALE RECEPTACLE ASSEMBLY SALES DRAWING																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	DIMENSION UNITS					mm					SCALE					5:1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
	GENERAL TOLERANCES (UNLESS SPECIFIED)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	ANGULAR TOL										±		°								EC NO: 632993																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
	4 PLACES										±		DRWN: AKUMAR19										2019/04/01																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	3 PLACES										±		CHK'D: CDZHANG										2020/10/22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	2 PLACES										±		APPR: CDZHANG										2020/10/22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	1 PLACE										±		INITIAL REVISION:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
	0 PLACES										±		DRWN: JFISCHER01										2012/08/17																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
													APPR: SMARCEAU										2012/08/21																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS										THIRD ANGLE PROJECTION										DRAWING					D-SIZE					SERIES					34959					MATERIAL NUMBER					CUSTOMER					GENERAL MARKET					SHEET NUMBER					1 OF 4																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														</				

DOCUMENT STATUS	P1	RELEASE DATE	2020/10/22	09:37:03
-----------------	----	--------------	------------	----------


TABLE OF CONTENTS	
SHEET NO.	SHEET DESCRIPTION
2	34&38WAY POLARIZATION OPTION VIEW,




34 WAY POLARIZATION OPTION 'A'




34 WAY POLARIZATION OPTION 'B'




34 WAY POLARIZATION OPTION 'C'




38 WAY POLARIZATION OPTION 'A'




38 WAY POLARIZATION OPTION 'B'




38 WAY POLARIZATION OPTION 'C'



38 WAY POLARIZATION OPTION 'UPDATED A'



38 WAY POLARIZATION OPTION 'UPDATED B'





38 WAY POLARIZATION OPTION 'UPDATED C'


SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
= 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0 = 0	DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBER				molex				
	mm		5:1										
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 632993 DRWN: AKUMAR19 2019/04/01 CHK'D: CDZHANG 2020/10/22 APPR: CDZHANG 2020/10/22 INITIAL REVISION: DRWN: JFISCHER01 2012/08/17 APPR: SMARCEAU 2012/08/21				34/38 WAY MINI50 FEMALE RECEPTACLE ASSEMBLY SALES DRAWING				
	ANGULAR TOL		± °										
	4 PLACES		±										
	3 PLACES		±										
	2 PLACES		±										
	1 PLACE		±		DOCUMENT NUMBER SD-34959-030				DOC TYPE PSD	DOC PART 001	REVISION E		
	0 PLACES		±										
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
						D-SIZE	34959			GENERAL MARKET		2 OF 4	

TABLE OF CONTENTS	
SHEET NO.	SHEET DESCRIPTION
3	POL A&B&C DIFFERENCE WITH UPDATED POL A&B&C VIEW; HB / V0 VERSION DIFFERENCE

POL A&B&C DIFFERENCE WITH UPDATED POL A&B&C VIEW:






SECTION C-C




SECTION D-D

HB / V0 VERSION DIFFERENCE



DETAIL E
SCALE 10:1









DETAIL F
SCALE 10:1

SYMBOLS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS					SCALE					CURRENT REV DESC: OBSOLETE PART NUMBER									
= 0					mm					5:1									
= 0					GENERAL TOLERANCES (UNLESS SPECIFIED)														
= 0					ANGULAR TOL					± °									
= 0					4 PLACES					±									
= 0					3 PLACES					±									
= 0					2 PLACES					±									
= 0					1 PLACE					±									
= 0					0 PLACES					±									
= 0					DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS														
= 0					THIRD ANGLE PROJECTION														
= 0					DRAWING					D-SIZE									
= 0					SERIES					34959									
= 0					MATERIAL NUMBER														
= 0					CUSTOMER					GENERAL MARKET									
= 0					SHEET NUMBER					3 OF 4									

DOCUMENT STATUS	P1	RELEASE DATE	2020/10/22	09:37:03
-----------------	----	--------------	------------	----------

	TABLE OF CONTENTS
SHEET NO.	SHEET DESCRIPTION
4	DETAIL DIMENSION VIEW



Ø40.92 PASS-THRU
WITH ± 1mm PER SIDE

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																	
	DIMENSION UNITS		SCALE		CURRENT REV DESC: OBSOLETE PART NUMBER			molex 34/38 WAY MINI50 FEMALE RECEPTACLE ASSEMBLY SALES DRAWING										
	mm		5:1															
	GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 632993 DRWN: AKUMAR19 2019/04/01 CHK'D: CDZHANG 2020/10/22 APPR: CDZHANG 2020/10/22								PRODUCT CUSTOMER DRAWING					
	ANGULAR TOL		± °															
	4 PLACES		±					INITIAL REVISION: DRWN: JFISCHER01 2012/08/17 APPR: SMARCEAU 2012/08/21			DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
	3 PLACES		±								SD-34959-030		PSD	001	E			
	2 PLACES		±															
	1 PLACE		±		THIRD ANGLE PROJECTION						D-SIZE		34959		MATERIAL NUMBER		CUSTOMER	
	0 PLACES		±															
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																	
																	4 OF 4	

DOCUMENT STATUS	P1	RELEASE DATE	2020/10/22	09:37:03
-----------------	----	--------------	------------	----------

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Molex:

[34959-0390](#) [34959-0385](#) [34959-0383](#) [34959-0384](#) [34959-0391](#)