


Product Type: Crimp terminal

Product Name:BP635V3XM-WT-0000

Product Description: Pitch:6.35mm Rated Voltage : 600V 3 row, 2column CE



Product Size



Parameters

|                       |                   |
|-----------------------|-------------------|
| SUPU ID               | BP635V32M-WT-0000 |
| Pitch                 | 6.35              |
| Number of levels      | Multi-Layer       |
| Number of connections | X                 |

|                               |                      |
|-------------------------------|----------------------|
| ☞ Connection method           | Cold Pressure Wiring |
| ☞ Protection Level            | IP20                 |
| ☞ Operating temperature range | -40~+105°C           |
| ☞ Insulation material         | PA66                 |
| ☞ Insulation material group   | I                    |
| ☞ Contact material            | -                    |
| ☞ Contact plating             | -                    |
| ☞ Color                       | White                |

## Commercial data

|            |                   |
|------------|-------------------|
| ☞ Order No | BP635V32M-WT-0000 |
|------------|-------------------|

## Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,

Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



---

Date:2025-11-05 13:45

The right to modify data belongs to SUPU.